

Proposal & Plan Sales Will Begin on August 5, 2019



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For August - August 27, 2019

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR AUGUST - Tuesday, August 27, 2019

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON AUGUST 5, 2019

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, August 27, 2019; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR AUGUST

CALL	CONTRACT	COUNTY
01	HSIP-0003-01(189)/106778301	JACKSON
02	BRNH-0008-01(144)V21/102111303	HARRISON
* 03	STBG-0010-01(165)/108043301	JACKSON
04	SP-0020-01(171)/104299301	WARREN
05	STBG-0023-02(061)/108027301	SCOTT
06	BR-0331-00(014)/107866301	SMITH
07	BR-0474-00(003)/102375301	LAUDERDALE
* 08	STP-0535-00(029)/108116301	NESHOBA
09	ER/BR-2173-00(002)/102521301	JONES
10	BR-2901-00(033)/105807301	GRENADA
11	BR-9999-02(264)/107019302	YALOBUSHA
* 12	STP-9999-06(031)/107915301	DISTRICT 6
13	STP-9999-07(015)/107916301 & STP-9999-07(015)/107916302 & STP-9999-07(015)/107916303	MARION, PIKE, WALTHALL

CALL No. 01

Intersection Improvements on US Highway 90 from Pascagoula Street to Chevron Drive, known as Federal Aid Project No. HSIP-0003-01(189) / 106778301 in Jackson County.

PROJECT COMPLETION: Contractor Determined

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
1,962	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
215	Linear Feet	202-B050	Removal of Concrete Combination Curb & Gutter
1,102	Linear Feet	202-B051	Removal of Concrete Curb
385	Square Yard	202-B052	Removal of Concrete Driveways, All Depths
9	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
2,141	Square Yard	202-B062	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
1	Each	202-B090	Removal of Curb Inlet
6	Each	202-B165	Removal of Inlets, All Sizes
1,071	Linear Feet	202-B191	Removal of Pipe, 8" And Above
245	Each	202-B215	Removal of Sign Including Post & Footing
32	Mile	202-B241	Removal of Traffic Stripe
5,439	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
4,315	Cubic Yard	203-EX018	Borrow Excavation, AH, FME, Class B7-6
2,070	Cubic Yard	206-A001	Structure Excavation
23,206	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
35,429	Square Yard	216-A001	Solid Sodding
709	Thousand Gallon	219-A001	Watering
4	Acre	220-A001	Insect Pest Control
7	Acre	226-A001	Temporary Grassing
2,124	Linear Feet	234-A001	Temporary Silt Fence
14	Each	234-D001	Inlet Siltation Guard
14	Each	234-E001	Reset Inlet Siltation Guard

2,980	Linear Feet	237-A002	Wattles, 20"
2,537	Each	246-B001	Rockbags
90	Ton	249-A001	Riprap for Erosion Control
45	Cubic Yard	249-B001	Remove and Reset Riprap
1,163	Ton	403-A001	12.5-mm, HT, Asphalt Pavement
1,234	Ton	403-A004	19-mm, HT, Asphalt Pavement
1,240	Ton	403-A006	19-mm, ST, Asphalt Pavement
18,901	Ton	403-A013	9.5-mm, HT, Asphalt Pavement
11,202	Ton	403-B001	12.5-mm, HT, Asphalt Pavement, Leveling
220,686	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
12,402	Gallon	407-A001	Asphalt for Tack Coat
5	Mile	423-A001	Rumble Strips, Ground In
12,341	Linear Feet	503-C010	Saw Cut, Full Depth
93	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
9,090	Pounds	602-A001	Reinforcing Steel
2,328	Linear Feet	603-CA012	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
1,192	Linear Feet	603-CA027	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
1	Each	603-CB003	18" Reinforced Concrete End Section
128	Linear Feet	603-CE003	22" x 13" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
2	Each	603-CF002	22" x 13" Concrete Arch Pipe End Section
1	Each	603-SB006	18" Branch Connections, Stub into 60" Concrete Pipe
2	Each	603-SB008	18" Branch Connections, Stub into 73" x 45" Concrete Pipe
1	Each	603-SB012	18" Branch Connections, Stub into Box Culvert
2,127	Pounds	604-B001	Gratings
225	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-C003	Guard Rail, Cable Anchor, Type 1
2	Each	606-E005	Guard Rail, Terminal End Section, Flared
132	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
8	Square Feet	608-C001	Detectable Warning Panels
6,414	Linear Feet	609-B002	Concrete Curb, Header

670	Linear Feet	609-B003	Concrete Curb, Special Design
411	Linear Feet	609-B007	Concrete Curb, Special Design Header, Type 2
178	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
336	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
8,722	Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified
390	Linear Feet	609-D014	Combination Concrete Curb and Gutter Type 3B Modified
100	Cubic Yard	612-A001	Flowable Fill, Excavatable
940	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
6,048	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
1	Lump Sum	618-A001	Maintenance of Traffic
23	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
727	Linear Feet	619-A1005	Temporary Traffic Stripe, Continuous White, Type 1 Tape
17	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
348	Linear Feet	619-A2006	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
28	Mile	619-A3001	Temporary Traffic Stripe, Skip White
70,034	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,587	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
6,485	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
136	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
2,170	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1	Each	619-E1001	Flashing Arrow Panel, Type C
10	Each	619-F3001	Delineators, Guard Rail, White
1,722	Linear Feet	619-G4005	Barricades, Type III, Single Faced
530	Each	619-G5001	Free Standing Plastic Drums
16	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	619-H1001	Traffic Signals
1	Lump Sum	620-A001	Mobilization
11	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
7	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,620	Linear Feet	626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow

4 Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
49,326 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
20,708 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
4,587 Square Feet	626-H004	Thermoplastic Legend, White
6,485 Linear Feet	626-H005	Thermoplastic Legend, White
1,968 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
8 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,534 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
394 Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
184 Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
10 Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
2,574 Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
340 Linear Feet	630-D008	Structural Steel Beams, W6 x 9
330 Pounds	630-E002	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
930 Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
4 Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
802 Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3 1/2"
35 Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3"
18 Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
73 Each	635-A059	Traffic Signal Head, Type 1
13 Each	635-A061	Traffic Signal Head, Type 2
15 Each	635-A065	Traffic Signal Head, Type 2 FYA
2 Each	635-A070	Traffic Signal Head, Type 3
4 Each	635-A073	Traffic Signal Head, Type 4
4 Each	635-A074	Traffic Signal Head, Type 4R
4 Each	635-A076	Traffic Signal Head, Type 6
3 Each	638-A006	Flasher Assembly, Prepare To Stop
6 Each	646-C001	LED Blank-Out Sign
1 Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
1 Each	656-A002	Dynamic Message Sign, Type 2

3	Each	656-A003	Dynamic Message Sign, Type 3
7	Each	660-A003	Equipment Cabinet, Type B
1	Each	660-A004	Equipment Cabinet, Type C
1	Lump Sum	699-A001	Roadway Construction Stakes
4	Each	907-619-E3001	Changeable Message Sign
4	Each	907-632-A007	Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller
3	Each	907-632-A010	Solid State Traffic Cabinet Assembly, Type IV Cabinet, Type 1 Controller
3	Each	907-632-B007	Remove and Replace Existing Traffic Signal Cabinet Assembly, Type III Cabinet, Type 1 Controller
4	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
7	Each	907-632-J001	Power Service Pedestal
3	Each	907-633-A001	Uninterruptable Power Supply
3	Each	907-634-A045	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 45' Arm
1	Each	907-634-A046	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 50' Arm
2	Each	907-634-A047	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 55' Arm
1	Each	907-634-A048	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 60' Arm
4	Each	907-634-A050	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 70' Arm
3	Each	907-634-A051	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 75' Arm
1	Each	907-634-A053	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 85' Arm
1	Each	907-634-A054	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 90' Arm
3	Each	907-634-A063	Traffic Signal Equipment Pole, Type II(L), 40' Shaft, 55' Arm
1	Each	907-634-A070	Traffic Signal Equipment Pole, Type II(L), 40' Shaft, 90' Arm
1	Each	907-634-A107	Traffic Signal Equipment Pole, Type II, 22' Shaft, 40' Arm
1	Each	907-634-A110	Traffic Signal Equipment Pole, Type II, 22' Shaft, 55' Arm
1	Each	907-634-A112	Traffic Signal Equipment Pole, Type II, 22' Shaft, 65' Arm
1	Each	907-634-A144	Traffic Signal Equipment Pole, Type II, 40' Shaft, 55' Arm
1	Each	907-634-A340	Traffic Signal Equipment Pole, Type III(L), 40' Shaft, 50' & 70' Arm
3	Each	907-634-A545	Traffic Signal Equipment Pole, Type VI, 8' Shaft
109	Cubic Yard	907-634-C002	Pole Foundations, Class "DS" Concrete
330	Linear Feet	907-634-D003	Slip Casing, 36" Diameter

45	Linear Feet	907-634-D004	Slip Casing, 48" Diameter
2	Each	907-634-E001	Camera Pole with Foundation, 50' Pole
2	Each	907-634-I001	Wood Pole, Class II Height 40'
3,628	Linear Feet	907-636-B003	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2 Conductor
1,839	Linear Feet	907-636-B006	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 12, 4 Conductor
1,038	Linear Feet	907-636-B014	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor
4,561	Linear Feet	907-636-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
1,502	Linear Feet	907-636-B028	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor
2,410	Linear Feet	907-636-B050	Electric Cable, Underground in Conduit, THHN, AWG #4, 3 Conductor
1,080	Linear Feet	907-636-B053	Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Conductor
1,215	Linear Feet	907-636-D001	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 10, 2 Conductor
32	Linear Feet	907-636-D006	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 5 Conductor
2,506	Linear Feet	907-636-D008	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 8 Conductor
28	Each	907-637-A001	Pullbox Enclosure, Type 1
42	Each	907-637-A002	Pullbox Enclosure, Type 2
7	Each	907-637-A003	Pullbox Enclosure, Type 3
35	Each	907-637-A004	Pullbox Enclosure, Type 4
29	Each	907-637-A005	Pullbox Enclosure, Type 5
6	Each	907-637-B001	Pull Box Enclosure, Structure Mounted, Type 1
4,380	Linear Feet	907-637-C009	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
60	Linear Feet	907-637-C026	Traffic Signal Conduit, Underground, Type 4, 1"
5,932	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
190	Linear Feet	907-637-C030	Traffic Signal Conduit, Underground, Type 4, 3"
2,168	Linear Feet	907-637-D002	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
3,270	Linear Feet	907-637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
625	Linear Feet	907-637-F005	Traffic Signal Conduit, Aerial Supported, Type 1, 2"
19,015	Linear Feet	907-637-H001	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
9,405	Linear Feet	907-637-I001	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2 @ 2"
5,910	Linear Feet	907-637-K001	Traffic Signal Conduit Bank, Aerial Supported, Type 1, 2 @ 2"
36	Each	907-639-B001	Type 1 Optical Detector

7,113	Linear Feet	907-639-C001	Type 1 Optical Detector Cable
10	Each	907-639-D001	Multimode Phase Selector
13,885	Linear Feet	907-640-A001	Vehicle Loop Assemblies
25,026	Linear Feet	907-640-B001	Shielded Cable, AWG #14, 2 Conductor
30	Each	907-640-C002	Loop Detector Amplifier, 4 Channel
4	Each	907-645-B001	Accessible Pedestrian Detection Assembly
15	Each	907-650-A002	On Street Video Equipment, Fixed Type
12	Each	907-650-A003	On Street Video Equipment, PTZ Type
261	Square Feet	907-653-B001	Street Name Sign
28,025	Linear Feet	907-661-A004	Fiber Optic Cable, 72 SM
5,910	Linear Feet	907-661-A006	Fiber Optic Cable, Aerial, 72 SM
625	Linear Feet	907-661-A007	Fiber Optic Cable, Aerial, 12 SM
2,525	Linear Feet	907-661-B002	Fiber Optic Drop Cable, 12 SM
3	Each	907-662-D002	Radio Interconnect, Broadband, Short Range
20	Each	907-663-A001	Network Switch, Type A
1	Each	907-663-A002	Network Switch, Type B
125	Linear Feet	907-663-D001	Category 6 Cable, Installed in Conduit
4	Each	907-666-A001	Bluetooth Detection System, Type A
1	Lump Sum	907-899-A001	Railway-Highway Provisions
1,040	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

16,300	Ton	304-F001	3/4" and Down Crushed Stone Base
--------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

16,300	Ton	304-F002	Size 610 Crushed Stone Base
--------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

16,300	Ton	304-F003	Size 825B Crushed Stone Base
--------	-----	----------	------------------------------

CALL No. 02

Bridge Replacements on US Highway 49 over Flat Branch, Bridge Nos. 8.0A & 8.0B, known as Federal Aid Project No. BRNH-0008-01(144)V21 / 102111303 in Harrison County.

PROJECT COMPLETION: 272 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
7,292	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
213	Square Yard	202-B029	Removal of Bridge End Pavement
170	Square Yard	202-B052	Removal of Concrete Driveways, All Depths
75	Square Yard	202-B062	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
254	Linear Feet	202-B089	Removal of Curb &/or Curb and Gutter, All Types
797	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
224	Linear Feet	202-B191	Removal of Pipe, 8" And Above
5	Each	202-B206	Removal of Right-Of-Way Marker
2	Each	202-B215	Removal of Sign Including Post & Footing
1,000	Linear Feet	202-B240	Removal of Traffic Stripe
8,956	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
6,612	Cubic Yard	203-EX018	Borrow Excavation, AH, FME, Class B7-6
8,473	Cubic Yard	203-G001	Excess Excavation, FM, AH
50	Cubic Yard	206-A001	Structure Excavation
5	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
13,351	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
500	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
4	Ton	213-C001	Superphosphate
1,838	Square Yard	216-A001	Solid Sodding
694	Square Yard	217-A001	Ditch Liner
37	Thousand Gallon	219-A001	Watering
8	Acre	220-A001	Insect Pest Control

3 Cubic Yard	221-A001	Concrete Paved Ditch
16 Acre	223-A001	Mowing
8 Acre	225-A001	Grassing
4 Ton	225-B001	Agricultural Limestone
16 Ton	225-C001	Mulch, Vegetative Mulch
4 Acre	226-A001	Temporary Grassing
8,765 Linear Feet	234-A001	Temporary Silt Fence
530 Linear Feet	234-C001	Super Silt Fence
800 Linear Feet	237-A002	Wattles, 20"
530 Linear Feet	245-A001	Silt Dike
430 Each	246-B001	Rockbags
300 Ton	249-A001	Riprap for Erosion Control
1,155 Ton	403-A003	12.5-mm, ST, Asphalt Pavement
744 Ton	403-A004	19-mm, HT, Asphalt Pavement
2,721 Ton	403-A006	19-mm, ST, Asphalt Pavement
917 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
2,213 Ton	403-D001	12.5-mm, HT, Asphalt Pavement, Polymer Modified
1,615 Ton	403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
5,992 Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
3,000 Gallon	407-A001	Asphalt for Tack Coat
1,584 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
5 Mile	423-A001	Rumble Strips, Ground In
227 Linear Feet	501-D001	Expansion Joints, With Dowels
505 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
2,898 Linear Feet	503-C010	Saw Cut, Full Depth
2 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
47 Pounds	602-A001	Reinforcing Steel
368 Linear Feet	603-ALT003	18" Type A Alternate Pipe
88 Linear Feet	603-ALT006	24" Type A Alternate Pipe
72 Linear Feet	603-ALT009	30" Type A Alternate Pipe

48	Linear Feet	603-CA012	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
2	Each	603-CB003	18" Reinforced Concrete End Section
96	Linear Feet	603-CE003	22" x 13" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
1	Each	603-CF002	22" x 13" Concrete Arch Pipe End Section
250	Pounds	604-B001	Gratings
129	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
232	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
74	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
9	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
288	Linear Feet	606-B007	Guard Rail, Class A, Type 1, Double Faced, Metal Post
988	Linear Feet	606-B009	Guard Rail, Class A, Type 1, Metal Post
3	Each	606-C001	Guard Rail, Cable Anchor Type 1, Metal Post
5	Each	606-D022	Guard Rail, Bridge End Section, Type I
2	Each	606-E001	Guard Rail, Terminal End Section
2	Each	606-E003	Guard Rail, Terminal End Section, Double Faced
113	Square Yard	614-A001	Concrete Driveway, Without Reinforcement
80	Linear Feet	615-A001	Concrete Bridge End Barrier, 32"
8	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
1	Lump Sum	618-C001	Construction and Removal of Detour Bridge
2	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
2	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A3001	Temporary Traffic Stripe, Skip White
4,226	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
289	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
289	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
289	Each	619-C8001	One-Way Clear Reflective High Performance Raised Marker
76	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
736	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More

90	Linear Feet	619-F1002	Portable Median Barrier
4	Each	619-F3001	Delineators, Guard Rail, White
4	Each	619-F3002	Delineators, Guard Rail, Yellow
120	Linear Feet	619-G4005	Barricades, Type III, Single Faced
45	Each	619-G5001	Free Standing Plastic Drums
12	Each	619-G7001	Warning Lights, Type "B"
2	Each	619-K2001	Installation and Removal of Guard Rail, Bridge End Section
2	Each	619-K2002	Installation and Removal of Guard Rail, Type "G" Modified Bridge End Section
4	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
1	Lump Sum	620-A001	Mobilization
2	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
1	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
1	Mile	626-F003	6" Thermoplastic Edge Stripe, Continuous Yellow
207	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
578	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
40	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
192	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2	Mile	628-A001	6" Cold Plastic Traffic Stripe, Skip White
40	Linear Feet	628-A002	6" Cold Plastic Traffic Stripe, Skip White
18	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
98	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
84	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
96	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
2	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type II
33	Each	630-F006	Delineators, Guard Rail, White
14	Each	630-F011	Delineators, Post Mounted, Double Yellow
80	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
1	Lump Sum	699-A001	Roadway Construction Stakes
711	Square Yard	907-240-A001	Interlocking Flexible Block Erosion Control System
2	Each	907-619-E3001	Changeable Message Sign

ALTERNATE GROUP AA NUMBER 1

9,250 Ton 304-F001 3/4" and Down Crushed Stone Base

ALTERNATE GROUP AA NUMBER 2

9,250 Ton 304-F002 Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

9,250 Ton 304-F003 Size 825B Crushed Stone Base

ALTERNATE GROUP BB NUMBER 1

197 Cubic Yard 605-W002 Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM

ALTERNATE GROUP BB NUMBER 2

197 Cubic Yard 605-W003 Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM

ALTERNATE GROUP CC NUMBER 1

800 Linear Feet 907-624-A002 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White

ALTERNATE GROUP CC NUMBER 2

800 Linear Feet 628-G001 6" High Performance Cold Plastic Traffic Stripe, Skip White

ALTERNATE GROUP DD NUMBER 1

400 Linear Feet 907-624-B002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White

400 Linear Feet 907-624-D001 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow, High Contrast

ALTERNATE GROUP DD NUMBER 2

400 Linear Feet 628-H001 6" High Performance Cold Plastic Traffic Stripe, Continuous White

400 Linear Feet 628-J001 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

Bridge Items

2,222 Square Yard 501-K001 Transverse Grooving

8,030 Linear Feet 803-C003 16" x 16" Prestressed Concrete Piling

1,898 Linear Feet 804-C065 40' Prestressed Concrete Beam, Type I+2

1,276 Linear Feet 804-C121 80' Prestressed Concrete Beam, Type III

162,192 Pounds 805-A001 Reinforcement

806 Linear Feet 813-A002 Concrete Railing, 32"

1,228 Ton 815-A007 Loose Riprap, Size 300

974 Square Yard 815-E001 Geotextile under Riprap

2 Each 907-803-B001 Conventional Static Pile Load Test

6 Each 907-803-I002 PDA Test Pile, Concrete Pile

4 Each 907-803-J001 Pile Restrike

290 Cubic Yard

907-804-A002 Bridge Concrete, Class AA

630 Cubic Yard

907-804-A004 Bridge Concrete, Class BD

CALL No. 03

Bridge Repair on I-10 over the Pascagoula River, Bridge No. 65.4B, known as Federal Aid Project No. STBG-0010-01(165) / 108043301 in Jackson County.

PROJECT COMPLETION: 22 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization

Bridge Items

217	Square Feet	907-824-PP003	Bridge Repair, FRP Wrap
6	Linear Feet	907-824-PP008	Bridge Repair, Pile Repair

CALL No. 04

Construction of I-20 South Frontage Road Extension to US 80 & I-20 Bridge Repairs, known as State Project No. SP-0020-01(171) / 104299301 in Warren County.

PROJECT COMPLETION: Contractor Determined

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
7,316	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
428	Square Yard	202-B052	Removal of Concrete Driveways, All Depths
975	Square Yard	202-B063	Removal of Concrete Paved Ditch
542	Square Yard	202-B080	Removal of Concrete Sidewalk
2,922	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
1,291	Linear Feet	202-B126	Removal of Fence, All Types
116	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
8	Each	202-B165	Removal of Inlets, All Sizes
238	Linear Feet	202-B191	Removal of Pipe, 8" And Above
490,371	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
4,071	Cubic Yard	206-A001	Structure Excavation
8,281	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
25,700	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
10,657	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
39	Ton	213-A001	Agricultural Limestone
10	Ton	213-C001	Superphosphate
3,156	Square Yard	216-A001	Solid Sodding
64	Thousand Gallon	219-A001	Watering
307	Cubic Yard	221-A001	Concrete Paved Ditch
20	Acre	223-A001	Mowing
20	Acre	225-A001	Grassing
39	Ton	225-C001	Mulch, Vegetative Mulch
20	Acre	226-A001	Temporary Grassing

6,000	Square Yard	229-A001	Erosion Mat
11,850	Linear Feet	234-A001	Temporary Silt Fence
12	Each	234-D001	Inlet Siltation Guard
584	Each	235-A001	Temporary Erosion Checks
4	Each	236-A008	Silt Basin, Type D
4,000	Linear Feet	237-A002	Wattles, 20"
97	Linear Feet	245-A001	Silt Dike
16,251	Each	246-B001	Rockbags
1,078	Ton	249-A001	Riprap for Erosion Control
5,593	Ton	304-B004	Granular Material, Class 5, Group D
2,945	Square Yard	307-C004	6" Soil-Lime-Water Mixing, Class C
40	Ton	307-D001	Lime
737	Gallon	307-S001	Bituminous Curing Seal
25	Ton	308-A001	Cement
2,945	Square Yard	308-B003	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
737	Gallon	308-S001	Bituminous Curing Seal
2,645	Ton	403-A001	12.5-mm, HT, Asphalt Pavement
3,619	Ton	403-A004	19-mm, HT, Asphalt Pavement
314	Ton	403-A006	19-mm, ST, Asphalt Pavement
2,121	Ton	403-A013	9.5-mm, HT, Asphalt Pavement
2,382	Gallon	407-A001	Asphalt for Tack Coat
418	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
412	Linear Feet	503-C010	Saw Cut, Full Depth
807	Cubic Yard	601-A001	Class "B" Structural Concrete
37	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
171,901	Pounds	602-A001	Reinforcing Steel
120	Linear Feet	603-ALT003	18" Type A Alternate Pipe
16	Linear Feet	603-ALT006	24" Type A Alternate Pipe
16	Linear Feet	603-CA003	15" Reinforced Concrete Pipe, Class III
296	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III

144	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
680	Linear Feet	603-CA035	24" Reinforced Concrete Pipe, Class V
72	Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
136	Linear Feet	603-CA042	30" Reinforced Concrete Pipe, Class IV
264	Linear Feet	603-CA048	30" Reinforced Concrete Pipe, Class V
16	Linear Feet	603-CA138	12" Reinforced Concrete Pipe, Class V
2	Each	603-CB003	18" Reinforced Concrete End Section
3	Each	603-CB004	24" Reinforced Concrete End Section
5	Each	603-CB005	30" Reinforced Concrete End Section
1	Each	603-SB036	30" Branch Connections, Stub into Box Culvert
790	Pounds	604-A001	Castings
274	Pounds	604-B001	Gratings
370	Linear Feet	606-B001	Guard Rail, Class A, Type 1
12	Each	606-D022	Guard Rail, Bridge End Section, Type I
2	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1,187	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
350	Linear Feet	609-B002	Concrete Curb, Header
2,053	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
2,192	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
4	Each	613-D005	Adjustment of Manhole
685	Square Yard	614-B003	Concrete Driveway, With Reinforcement, 6-inch Thickness
580	Linear Feet	615-B001	Precast Concrete Median Barrier
91	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
284	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
58	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
4,724	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
6,541	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint

48	Linear Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
316	Each	619-C10001	Yellow-Clear Reflective High Performance Raised Marker
327	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,151	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
637	Linear Feet	619-F1001	Concrete Median Barrier, Precast
377	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
30	Each	619-F3003	Delineators, Median Barrier Mounted, White
529	Linear Feet	619-G4001	Barricades, Type III, Double Faced
66	Each	619-G5001	Free Standing Plastic Drums
1	Each	619-J1001	Impact Attenuator, 40 MPH
1	Each	619-J2001	Impact Attenuator, 40 MPH, Replacement Package
1	Each	619-J3001	Remove and Reset Impact Attenuator
1	Lump Sum	620-A001	Mobilization
8,017	Linear Feet	626-C003	6" Thermoplastic Edge Stripe, Continuous White
1,081	Linear Feet	626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
6,927	Linear Feet	626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
6,039	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
11,345	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
258	Square Feet	626-H004	Thermoplastic Legend, White
144	Linear Feet	626-H005	Thermoplastic Legend, White
25	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
728	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
164	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
211	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
473	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
114	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
17	Each	630-F006	Delineators, Guard Rail, White
33	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3 1/2"
91	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
1	Lump Sum	699-A001	Roadway Construction Stakes

89 Ton	815-A002	Loose Riprap, Size 100
6,319 Ton	815-A007	Loose Riprap, Size 300
11,552 Square Yard	815-E001	Geotextile under Riprap
186 Ton	815-F002	Sediment Control Stone
800 Pounds	907-250-A001	Polyacrylamide (PAM)
800 Linear Feet	907-253-A001	Coir Fiber Baffle
7 Each	907-619-E3001	Changeable Message Sign
1 Lump Sum	907-899-A001	Railway-Highway Provisions

ALTERNATE GROUP AA NUMBER 1

13,203 Ton	304-F001	3/4" and Down Crushed Stone Base
------------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

13,203 Ton	304-F002	Size 610 Crushed Stone Base
------------	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

13,203 Ton	304-F003	Size 825B Crushed Stone Base
------------	----------	------------------------------

ALTERNATE GROUP CC NUMBER 1

661 Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
2,182 Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP CC NUMBER 2

661 Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
2,182 Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

Bridge Items

1,610 Linear Feet	202-B169	Removal of Joint Material
120 Cubic Yard	203-G001	Excess Excavation, FM, AH
10 Cubic Yard	221-A001	Concrete Paved Ditch
178 Square Yard	229-A001	Erosion Mat
195 Ton	304-D004	Granular Material, Size 57
2,697 Square Yard	501-K001	Transverse Grooving
3,120 Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
1,550 Linear Feet	804-C118	78' Prestressed Concrete Beam, Type IV
1,703 Linear Feet	804-C130	86' Prestressed Concrete Beam, Type IV
264,450 Pounds	805-A001	Reinforcement

2,979	Square Feet	809-A001	Retaining Wall System
661	Linear Feet	813-A002	Concrete Railing, 32"
197	Cubic Yard	815-D001	Concrete Slope Paving
32	Square Yard	907-202-B001	Removal of Bridge Deck, Hydrodemolition
160	Linear Feet	907-607-PP001	Safety Fence
1	Each	907-803-B001	Conventional Static Pile Load Test
2	Each	907-803-I002	PDA Test Pile, Concrete Pile
2	Each	907-803-I004	PDA Test Pile, Steel Pipe Pile
2	Each	907-803-J001	Pile Restrike
1,340	Linear Feet	907-803-PP003	30" Steel Pipe Piling, Wall Thickness 0.500"
607	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
745	Cubic Yard	907-804-A004	Bridge Concrete, Class BD
979	Linear Feet	907-808-A002	Joint Repair
1,142	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
237	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
2,226	Linear Feet	907-823-B001	Saw Cut, Type I
466	Linear Feet	907-823-B002	Saw Cut, Type II
2,005	Square Feet	907-824-PP003	Bridge Repair, Painting of Steel Piling
1	Lump Sum	907-824-PP004	Bridge Repair, Remove & Replace Bridge Railing & Deck, Per Plans
20	Each	907-824-PP006	Bridge Repair, Concrete Pile Encasement Wall Removal
40	Each	907-824-PP006	Bridge Repair, Installation of Connection Angle
10	Each	907-824-PP006	Bridge Repair, Pressure Relief Joint, Per Plans
7	Each	907-824-PP006	Bridge Repair, Pressure Washing & Cleaning Bent Caps
20	Each	907-824-PP006	Bridge Repair, Steel Piling Repair for Bent 2-5
21	Cubic Yard	907-824-PP007	Bridge Repair, Elastomeric Concrete
336	Linear Feet	907-824-PP008	Bridge Repair, Pile Encasement
1	Lump Sum	907-845-A001	Coating Existing Structural Steel

CALL No. 05

Bridge Repair on SR 35 over KCS Railroad at Forest, known as Federal Aid Project No. STBG-0023-02(061) / 108027301 in Scott County.

PROJECT COMPLETION: 145 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

809	Square Yard	907-417-A001	Polymer Cement Surface System
371	Linear Feet	907-808-A003	Joint Repair Without Epoxy
186	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
371	Linear Feet	907-823-B001	Saw Cut, Type I
161	Square Feet	907-824-PP003	Bridge Repair, Epoxy Repair
141	Square Feet	907-824-PP003	Bridge Repair, Reinforced Fiber Wrap Repair
8	Each	907-824-PP006	Bridge Repair, Bearing Assembly Installation
3	Each	907-824-PP006	Bridge Repair, Blast Plate Cleaning, Painting, & Re-Installing
8	Each	907-824-PP006	Bridge Repair, Cap Cleaning
15	Each	907-824-PP006	Bridge Repair, Girder Support Plates & Angles
1	Lump Sum	907-845-A001	Coating Existing Structural Steel

Roadway Items

630	Linear Feet	202-B240	Removal of Traffic Stripe
1	Lump Sum	618-A001	Maintenance of Traffic
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
176	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
12	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
280	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
280	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
280	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
4	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1	Lump Sum	907-899-A001	Railway-Highway Provisions

CALL No. 06

Bridge Rehabilitation on SR 481 over Caney Creek, Bridge No. 9.3, known as Federal Aid Project No. BR-0331-00(014) / 107866301 in Smith County.

PROJECT COMPLETION: MAY 15, 2020

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

245	Linear Feet	234-C001	Super Silt Fence
120	Linear Feet	234-F001	Turbidity Barrier
400	Linear Feet	237-A002	Wattles, 20"
1	Lump Sum	618-A001	Maintenance of Traffic
320	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
320	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
160	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
4	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
522	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
60	Linear Feet	619-F1001	Concrete Median Barrier, Precast
42	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
16	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
4	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
7	Each	907-619-E3001	Changeable Message Sign

ALTERNATE GROUP AA NUMBER 1

320	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
160	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
320	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

320	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
160	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
320	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

Bridge Items

2,050	Ton	815-A007	Loose Riprap, Size 300
1,350	Square Yard	815-E001	Geotextile under Riprap
507	Square Yard	907-202-B001	Removal of Bridge Deck, Hydrodemolition
543	Square Yard	907-417-A001	Polymer Cement Surface System
41	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete
154	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
305	Linear Feet	907-823-B001	Saw Cut, Type I
15	Square Feet	907-824-PP003	Bridge Repair, Epoxy Repair
1,140	Square Feet	907-824-PP003	Bridge Repair, Removal of Bridge Deck
1	Lump Sum	907-824-PP004	Bridge Repair, Bank Reshaping
30	Each	907-824-PP006	Bridge Repair, Bearing Replacement
5	Each	907-824-PP006	Bridge Repair, Cap Cleaning
320	Linear Feet	907-824-PP008	Bridge Repair, Railing Cleaning

Bridge Replacements on SR 895 North of US 80, Bridge Nos. 0.7 and 0.9, known as Federal Aid Project No. BR-0474-00(003) / 102375301 in Lauderdale County.

PROJECT COMPLETION: 222 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
2,231	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2	Each	202-B023	Removal of Bridge
290	Linear Feet	202-B126	Removal of Fence, All Types
99	Linear Feet	202-B191	Removal of Pipe, 8" And Above
962	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
5,373	Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
57	Cubic Yard	206-A001	Structure Excavation
4,253	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
668	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1	Ton	213-C001	Superphosphate
50	Square Yard	216-A001	Solid Sodding
233	Square Yard	217-A001	Ditch Liner
1	Thousand Gallon	219-A001	Watering
1	Acre	220-A001	Insect Pest Control
2	Cubic Yard	221-A001	Concrete Paved Ditch
5	Acre	223-A001	Mowing
495	Square Yard	224-A001	Soil Reinforcing Mat
2	Acre	225-A001	Grassing
7	Ton	225-B001	Agricultural Limestone
5	Ton	225-C001	Mulch, Vegetative Mulch
1	Acre	226-A001	Temporary Grassing
2,750	Linear Feet	234-A001	Temporary Silt Fence
800	Linear Feet	234-C001	Super Silt Fence
700	Linear Feet	237-A002	Wattles, 20"

216	Linear Feet	245-A001	Silt Dike
1,360	Each	246-B001	Rockbags
220	Ton	249-A001	Riprap for Erosion Control
700	Cubic Yard	304-A006	Granular Material, LVM, Class 5, Group E
391	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
341	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
346	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
178	Gallon	407-A001	Asphalt for Tack Coat
108	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
108	Linear Feet	501-E001	Expansion Joints, Without Dowels
231	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
1	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
72	Linear Feet	603-ALT008	29" x 18" Type A Alternate Pipe
96	Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
2	Each	603-CB006	36" Reinforced Concrete End Section
150	Linear Feet	606-B001	Guard Rail, Class A, Type 1
8	Each	606-D022	Guard Rail, Bridge End Section, Type I
8	Each	606-E005	Guard Rail, Terminal End Section, Flared
80	Linear Feet	615-A002	Concrete Bridge End Barrier, 33.5"
32	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
2,906	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
3,001	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
599	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
126	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
54	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
267	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
96	Linear Feet	619-G4005	Barricades, Type III, Single Faced
6	Each	619-G7001	Warning Lights, Type "B"

1	Lump Sum	620-A001	Mobilization
2,906	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3,001	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
331	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
268	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
84	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
30	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
42	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
24	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
54	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
13	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
192	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
24	Each	630-F006	Delineators, Guard Rail, White
1	Lump Sum	699-B001	Bridge Construction Stakes

ALTERNATE GROUP AA NUMBER 1

1,250	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

1,250	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

1,250	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

Bridge Items

400	Square Yard	501-K001	Transverse Grooving
3,210	Linear Feet	803-D007	HP 14 x 89 Steel Piling
1,410	Linear Feet	804-C190	30' Prestressed Concrete Beam, 16" x16"
40,704	Pounds	805-A001	Reinforcement
360	Linear Feet	813-A002	Concrete Railing, 32"
2,940	Ton	815-A007	Loose Riprap, Size 300
1,519	Square Yard	815-E001	Geotextile under Riprap
80	Ton	815-F002	Sediment Control Stone
2	Each	907-803-B001	Conventional Static Pile Load Test

4	Each	907-803-I003	PDA Test Pile, HP Steel Pile
4	Each	907-803-J001	Pile Restrike
96	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
140	Cubic Yard	907-804-A004	Bridge Concrete, Class BD

CALL No. 08

Bridge Repairs on SR 395, Bridge No.s 1.4 & 2.6, known as Federal Aid Project No. STP-0535-00(029) / 108116301 in Neshoba County.

PROJECT COMPLETION: 37 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2 Each	202-B023	Removal of Bridge
60 Square Yard	202-B188	Removal of Pavement, All Types and Depths
352 Cubic Yard	203-G001	Excess Excavation, FM, AH
400 Linear Feet	234-A001	Temporary Silt Fence
100 Linear Feet	237-A002	Wattles, 20"
60 Cubic Yard	249-B001	Remove and Reset Riprap
30 Ton	403-A003	12.5-mm, ST, Asphalt Pavement
1 Lump Sum	618-A001	Maintenance of Traffic
147 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
96 Linear Feet	619-G4001	Barricades, Type III, Double Faced
4 Each	619-G7001	Warning Lights, Type "B"
1 Lump Sum	620-A001	Mobilization
3 Each	907-619-E3001	Changeable Message Sign

ALTERNATE GROUP AA NUMBER 1

476 Ton	304-F001	3/4" and Down Crushed Stone Base
---------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

476 Ton	304-F002	Size 610 Crushed Stone Base
---------	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

476 Ton	304-F003	Size 825B Crushed Stone Base
---------	----------	------------------------------

Bridge Items

2,200 Linear Feet	803-D002	HP 12 x 53 Steel Piling
184 Linear Feet	803-D006	HP 14 x 73 Steel Piling
275 Ton	815-A007	Loose Riprap, Size 300
150 Square Yard	815-E001	Geotextile under Riprap
4 Thousand Board Feet	820-A001	Treated Timber

5	Cubic Feet	907-824-PP005	Bridge Repair, Epoxy Repair
35	Each	907-824-PP006	Bridge Repair, Reinstall Concrete Slab Units
35	Each	907-824-PP006	Bridge Repair, Remove Precast Bridge Superstructure Elements

CALL No. 09

Emergency Bridge Repair on SR 184 over Dry Swamp Creek, Bridge No. 153.9, known as Federal Aid Project No. ER/BR-2173-00(002) / 102521301 in Jones County.

PROJECT COMPLETION: 119 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

1,805	Linear Feet	803-D006	HP 14 x 73 Steel Piling
40	Each	804-E001	40' Prestressed Concrete Voided Slab, 4'-0" Interior
10	Each	804-F001	40' Prestressed Concrete Voided Slab, 3'-5" Exterior
11,725	Pounds	805-A001	Reinforcement
400	Linear Feet	813-A002	Concrete Railing, 32"
1,470	Ton	815-A007	Loose Riprap, Size 300
904	Square Yard	815-E001	Geotextile under Riprap
1	Each	907-803-B001	Conventional Static Pile Load Test
2	Each	907-803-I003	PDA Test Pile, HP Steel Pile
2	Each	907-803-J001	Pile Restrike
79	Cubic Yard	907-804-A002	Bridge Concrete, Class AA

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
621	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1	Each	202-B023	Removal of Bridge
929	Square Yard	202-B062	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
65	Linear Feet	202-B191	Removal of Pipe, 8" And Above
315	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
1,193	Cubic Yard	203-EX018	Borrow Excavation, AH, FME, Class B7-6
1,869	Cubic Yard	203-G001	Excess Excavation, FM, AH
1,431	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
200	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1	Ton	213-C001	Superphosphate
68	Square Yard	216-A001	Solid Sodding
100	Square Yard	217-A001	Ditch Liner

2 Thousand Gallon	219-A001	Watering
1 Acre	220-A001	Insect Pest Control
5 Cubic Yard	221-A001	Concrete Paved Ditch
1 Acre	223-A001	Mowing
1 Acre	225-A001	Grassing
1 Ton	225-B001	Agricultural Limestone
2 Ton	225-C001	Mulch, Vegetative Mulch
1 Acre	226-A001	Temporary Grassing
2,000 Linear Feet	234-A001	Temporary Silt Fence
400 Linear Feet	234-C001	Super Silt Fence
200 Linear Feet	237-A002	Wattles, 20"
100 Ton	249-A001	Riprap for Erosion Control
171 Ton	403-A003	12.5-mm, ST, Asphalt Pavement
207 Ton	403-A006	19-mm, ST, Asphalt Pavement
193 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
7 Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
354 Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
176 Gallon	407-A001	Asphalt for Tack Coat
200 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
78 Linear Feet	501-E001	Expansion Joints, Without Dowels
169 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
80 Linear Feet	603-ALT006	24" Type A Alternate Pipe
49 Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
88 Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
10 Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
3 Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
50 Linear Feet	606-B001	Guard Rail, Class A, Type 1
4 Each	606-D022	Guard Rail, Bridge End Section, Type I
4 Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
40 Linear Feet	615-A002	Concrete Bridge End Barrier, 33.5"

1	Lump Sum	618-A001	Maintenance of Traffic
1,690	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
845	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
46	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
366	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
72	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
12	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1,290	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
645	Linear Feet	626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
10	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
12	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
18	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
66	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
8	Each	630-F006	Delineators, Guard Rail, White
1	Lump Sum	699-A001	Roadway Construction Stakes
50	Ton	815-F002	Sediment Control Stone
2	Each	907-619-E3001	Changeable Message Sign

ALTERNATE GROUP AA NUMBER 1

1,200	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

1,200	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

1,200	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

400	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
200	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

ALTERNATE GROUP BB NUMBER 2

400	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
200	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

ALTERNATE GROUP CC NUMBER 1

64 Cubic Yard 605-W002 Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM

ALTERNATE GROUP CC NUMBER 2

64 Cubic Yard 605-W003 Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM

Bridge Replacement on US 51, Bridge No. 205.4, known as Federal Aid Project No. BR-2901-00(033) / 105807301 in Grenada County.

PROJECT COMPLETION: 228 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
9,579	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
325	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
439	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
39	Square Feet	202-B172	Removal of Legend, All Types
494	Linear Feet	202-B191	Removal of Pipe, 8" And Above
1,303	Linear Feet	202-B240	Removal of Traffic Stripe
9,243	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
12,137	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
7,172	Cubic Yard	203-G001	Excess Excavation, FM, AH
420	Cubic Yard	206-A001	Structure Excavation
10,493	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
2,149	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
3	Ton	213-C001	Superphosphate
101	Square Yard	216-A001	Solid Sodding
376	Square Yard	217-A001	Ditch Liner
2	Thousand Gallon	219-A001	Watering
5	Acre	220-A001	Insect Pest Control
11	Cubic Yard	221-A001	Concrete Paved Ditch
11	Acre	223-A001	Mowing
870	Square Yard	224-A001	Soil Reinforcing Mat
8	Acre	225-A001	Grassing
16	Ton	225-B001	Agricultural Limestone

16 Ton	225-C001	Mulch, Vegetative Mulch
8 Acre	226-A001	Temporary Grassing
5,450 Linear Feet	234-A001	Temporary Silt Fence
400 Linear Feet	234-C001	Super Silt Fence
2 Each	236-A008	Silt Basin, Type D
600 Linear Feet	237-A002	Wattles, 20"
51 Linear Feet	239-A001	Temporary Slope Drains
300 Linear Feet	245-A001	Silt Dike
600 Linear Feet	246-A001	Sandbags
300 Ton	249-A001	Riprap for Erosion Control
5,998 Ton	304-B002	Granular Material, Class 3, Group D
1,412 Ton	403-A003	12.5-mm, ST, Asphalt Pavement
1,854 Ton	403-A006	19-mm, ST, Asphalt Pavement
1,298 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
499 Ton	403-B003	12.5-mm, ST, Asphalt Pavement, Leveling
2,646 Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
1,357 Gallon	407-A001	Asphalt for Tack Coat
166 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
615 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
524 Linear Feet	503-C010	Saw Cut, Full Depth
6 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
311 Pounds	602-A001	Reinforcing Steel
96 Linear Feet	603-ALT003	18" Type A Alternate Pipe
32 Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
256 Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
112 Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
72 Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
2 Each	603-CB004	24" Reinforced Concrete End Section
3 Each	603-CB005	30" Reinforced Concrete End Section
2 Each	603-CB006	36" Reinforced Concrete End Section

72	Linear Feet	603-CE002	22" x 13" Concrete Arch Pipe, Class A III
2	Each	603-CF002	22" x 13" Concrete Arch Pipe End Section
93	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
168	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
10	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
6	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
113	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-D022	Guard Rail, Bridge End Section, Type I
2	Each	606-E005	Guard Rail, Terminal End Section, Flared
203	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
522	Linear Feet	609-D014	Combination Concrete Curb and Gutter Type 3B Modified
11	Square Yard	614-B001	Concrete Driveway, With Reinforcement
40	Linear Feet	615-A002	Concrete Bridge End Barrier, 33.5"
25	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
1	Lump Sum	618-C001	Construction and Removal of Detour Bridge
2,693	Linear Feet	618-E001	Detour Bridge Piling
1	Lump Sum	618-F001	Detour Bridge PDA Test Pile
11,156	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
1,028	Linear Feet	619-A1005	Temporary Traffic Stripe, Continuous White, Type 1 Tape
20,377	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
683	Linear Feet	619-A2006	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
5,840	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
3,400	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
9,372	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
148	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1,181	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
41	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
182	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet

414	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
4	Each	619-F3001	Delineators, Guard Rail, White
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
144	Linear Feet	619-G4005	Barricades, Type III, Single Faced
102	Each	619-G5001	Free Standing Plastic Drums
5	Each	619-G7001	Warning Lights, Type "B"
4	Each	619-K2001	Installation and Removal of Guard Rail, Bridge End Section
4	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
1	Lump Sum	620-A001	Mobilization
2,920	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
3,588	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,120	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
7,689	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
139	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
1,970	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
115	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
394	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
87	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
367	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
72	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
27	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
8	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
195	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
6	Each	630-F006	Delineators, Guard Rail, White
4	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
820	Ton	815-A007	Loose Riprap, Size 300
352	Square Yard	815-E001	Geotextile under Riprap
84	Ton	815-F002	Sediment Control Stone
261	Linear Feet	907-253-A001	Coir Fiber Baffle

1	Each	907-619-E3001	Changeable Message Sign
ALTERNATE GROUP AA NUMBER 1			
4,190	Ton	304-F001	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
4,190	Ton	304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
4,190	Ton	304-F003	Size 825B Crushed Stone Base
ALTERNATE GROUP BB NUMBER 1			
208	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
ALTERNATE GROUP BB NUMBER 2			
208	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
Bridge Items			
2,533	Square Yard	501-K001	Transverse Grooving
4,590	Linear Feet	803-D005	HP 14 x 117 Steel Piling
1,955	Linear Feet	803-P003	30" Steel Pipe Piling, Wall Thickness 0.500"
1,677	Linear Feet	804-C059	140' Prestressed Concrete Beam, Type BT-72
1,914	Linear Feet	804-C121	80' Prestressed Concrete Beam, Type III
177,755	Pounds	805-A001	Reinforcement
605	Linear Feet	813-A002	Concrete Railing, 32"
6,627	Ton	815-A007	Loose Riprap, Size 300
9,033	Square Yard	815-E001	Geotextile under Riprap
1	Each	907-803-B001	Conventional Static Pile Load Test
2	Each	907-803-I003	PDA Test Pile, HP Steel Pile
1	Each	907-803-I004	PDA Test Pile, Steel Pipe Pile
2	Each	907-803-J001	Pile Restrike
270	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
718	Cubic Yard	907-804-A004	Bridge Concrete, Class BD

CALL No. 11

Bridge Endwall Repairs on SR 7, Bridge Nos. 100.4A, 100.4B, 100.6A, 100.6B, 100.7A and 100.7B, known as Federal Aid Project No. BR-9999-02(264) / 107019302 in Yalobusha County.

PROJECT COMPLETION: 203 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

926	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
1,078	Square Yard	202-B029	Removal of Bridge End Pavement
110	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
2,400	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
18,960	Linear Feet	202-B240	Removal of Traffic Stripe
1,000	Cubic Yard	203-G001	Excess Excavation, FM, AH
10,766	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
2	Ton	213-C001	Superphosphate
150	Square Yard	216-A001	Solid Sodding
3	Thousand Gallon	219-A001	Watering
4	Acre	220-A001	Insect Pest Control
9	Cubic Yard	221-A001	Concrete Paved Ditch
2	Acre	225-A001	Grassing
4	Ton	225-C001	Mulch, Vegetative Mulch
2	Acre	226-A001	Temporary Grassing
625	Linear Feet	234-A001	Temporary Silt Fence
500	Linear Feet	237-A002	Wattles, 20"
500	Ton	304-B002	Granular Material, Class 3, Group D
750	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
900	Ton	403-A006	19-mm, ST, Asphalt Pavement
975	Gallon	407-A001	Asphalt for Tack Coat
128	Linear Feet	501-D001	Expansion Joints, With Dowels
1,041	Square Yard	501-K001	Transverse Grooving
1,078	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
110	Square Yard	503-A003	9" and Variable Reinforced Concrete Pavement, Broom Finish

128	Linear Feet	503-C010	Saw Cut, Full Depth
1,650	Linear Feet	606-B001	Guard Rail, Class A, Type 1
12	Each	606-D001	Guard Rail, Bridge End Section
12	Each	606-E005	Guard Rail, Terminal End Section, Flared
900	Cubic Yard	612-A001	Flowable Fill, Excavatable
240	Linear Feet	615-A001	Concrete Bridge End Barrier, 32"
1	Lump Sum	618-A001	Maintenance of Traffic
2	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
2	Mile	619-A1006	Temporary Traffic Stripe, Continuous White, Type 1 Tape
2	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
352	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
5,965	Linear Feet	619-F1001	Concrete Median Barrier, Precast
5,965	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
2	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
2	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
2	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
46	Each	627-C001	Red-Clear Reflective Raised Markers
42	Each	630-F006	Delineators, Guard Rail, White
42	Each	630-F007	Delineators, Guard Rail, Yellow
6	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
6	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
19,500	Pounds	907-420-A002	Undersealing Concrete Pavement
2	Each	907-619-E3001	Changeable Message Sign

ALTERNATE GROUP AA NUMBER 1

4,900	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

4,900 Ton 304-F002 Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

4,900 Ton 304-F003 Size 825B Crushed Stone Base

Bridge Items

7,020 Linear Feet 503-C001 Saw Cut, 1-inch

3,720 Pounds 805-A001 Reinforcement

480 Linear Feet 813-A002 Concrete Railing, 32"

10,000 Pounds 907-420-A001 Undersealing

770 Linear Feet 907-808-A002 Joint Repair Without Epoxy

290 Linear Feet 907-823-A001 Preformed Joint Seal, Type I

480 Linear Feet 907-823-A002 Preformed Joint Seal, Type II

580 Linear Feet 907-823-B001 Saw Cut, Type I

960 Linear Feet 907-823-B002 Saw Cut, Type II

8,217 Square Feet 907-824-PP003 Bridge Repair, Class 2, Spray Finish, Per Plans

1 Square Feet 907-824-PP003 Bridge Repair, Epoxy Repair, Per Plans

60 Each 907-824-PP006 Bridge Repair, Bearing Replacement

30 Each 907-824-PP006 Bridge Repair, Cleaning of Bent Caps, Per Plans

320 Linear Feet 907-824-PP008 Bridge Repair, Removal of Bridge Railing

770 Linear Feet 907-824-PP008 Bridge Repair, Removal of End Bent Endwall, Per Plans

770 Linear Feet 907-824-PP008 Bridge Repair, Replace End Bent Endwall, Per Plans

CALL No. 12

Bridge Joint Repair on Various Routes throughout the District, known as Federal Aid Project No. STP-9999-06(031) / 107915301 in District 6.

PROJECT COMPLETION: 82 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization

Bridge Items

2,798	Linear Feet	413-B001	Cleaning and Sealing Joints
13,048	Linear Feet	907-808-A002	Joint Repair
4,172	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
2,636	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
7,984	Linear Feet	907-823-B001	Saw Cut, Type I
5,064	Linear Feet	907-823-B002	Saw Cut, Type II

CALL No. 13

Bridge Joint Repairs on Various Routes in the district, known as Federal Aid Project Nos. STP-9999-07(015) / 107916301, 302, & 303 in Marion, Pike, & Walthall Counties.

PROJECT COMPLETION: 102 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

52	Linear Feet	202-B169	Removal of Joint Material
556	Linear Feet	907-808-A002	Joint Repair
6,756	Linear Feet	907-808-A003	Joint Repair Without Epoxy
3,656	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
160	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
7,312	Linear Feet	907-823-B001	Saw Cut, Type I
320	Linear Feet	907-823-B002	Saw Cut, Type II
117	Each	907-824-PP006	Bridge Repair, Cap Cleaning
1	Cubic Yard	907-824-PP007	Bridge Repair, Elastomeric Concrete
1	Lump Sum	907-899-A001	Railway-Highway Provisions

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
3	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shopmdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shopmdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E.
EXECUTIVE DIRECTOR

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

Inter-Departmental Memorandum

TO: 56-01 Mr. Dick Hall
57-01 Mr. Tom King
58-01 Mr. Mike Tagert

DATE: August 5, 2019

FROM: Contract Administration Director
Neal Dougherty

SUBJECT OR PROJECT NO: September Letting

INFORMATION COPY TO:

COUNTY:

62-01 Executive Director
64-01 Deputy Executive Director/Administrative Services
65-01 Deputy Executive Director/Chief Engineer
67-01 Public Affairs
71-01 Assistant Chief Engineer - Operations
73-01 Construction Division
91-01 Assistant Chief Engineer – Field Operations
89-20 Central Records
00-02 Mississippi Road Builders Association
Mississippi Asphalt Paving Association, Inc.

The estimate range for contracts scheduled for the September letting is as follows:

01. HSIP-0003-01(189)/106778301 Jackson\$10,000,000 - \$15,000,000
02. BRNH-0008-01(144)V21/102111303..... Harrison\$5,000,000 - \$10,000,000
03. STBG-0010-01(165)/108043301 Jackson\$25,000 - \$100,000
04. SP-0020-01(171)/104299301 Warren\$15,000,000 - \$20,000,000
05. STBG-0023-02(061)/108027301 Scott.....\$500,000 - \$1,000,000
06. BR-0331-00(014)/107866301 Smith.....\$500,000 - \$1,000,000
07. BR-0474-00(003)/102375301 Lauderdale\$1,000,000 - \$5,000,000
08. STP-0535-00(029)/108116301 Neshoba.....\$250,000 - \$500,000
09. ER/BR-2173-00(002)/102521301 Jones\$1,000,000 - \$5,000,000
10. BR-2901-00(033)/105807301 Grenada\$5,000,000 - \$10,000,000
11. BR-9999-02(264)/107019302 Yalobusha\$1,000,000 - \$5,000,000
12. STP-9999-06(031)/107915301 District 6\$250,000 - \$500,000
13. STP-9999-07(015)/107916301,
STP-9999-07(015)/107916302,
STP-9999-07(015)/107916303 Marion, Pike, Walthall\$250,000 - \$500,000